Serial No.: 10/576,520 Att'y Dkt: 56815.1700

### AMENDMENTS TO THE CLAIMS

## In the Claims:

The following listing of claims replaces all prior versions and listings of claims in the application.

#### Listing of Claims:

ONU:

- (Currently amended) A method for dynamic bandwidth allocation in a Passive Optical Network (PON), said PON includes an OLT and a plurality of ONUs accessing to the OLT, comprising:
- a) classifying, by the OLT, services which are to be communicated between the OLT and an ONU into a plurality of service types according to different transmitting requirements, and granting a different priority to each type of the services;
- b) authorizing, by the OLT, a service port of every type of services to transmit service
  data in descending sequence of said priorities of the services, and recording the granting
  information of the service ports obtained from the authorization;
- c) reading out, by the OLT, said granting information of every to-be-granted service port
  of the same ONU; and
- d) scheduling, by the OLT, start time of granted data transmission of every to-begranted service port of current ONU, generating a downlink granting message including both said granting information and said start time of granted data transmission of every granted port of said current ONU, and transmitting said downlink granting messages to said current ONU.
  - (Currently amended) The method according to Claim 1, further comprising:
     generating, by the OLT, Active Timeout Counter to count non-response periods of each

and further comprising a flow of aging ONU information:

A. inquiring, by the OLT, status of the ONUs one by one, determining whether the status of current ONU is invalid, if yes, returning to step A; otherwise, proceeding to step B;

B. determining, by the OLT, whether MPCP messages have been reported by said current ONU in the present bandwidth allocation polling period, if yes, resetting corresponding Active Timeout Counter of said current ONU, and proceeding to step C; otherwise, proceeding to step C directly;

C. determining, by the OLT, whether the value of said Active Timeout Counter of said current ONU exceeds the settled off-line threshold, if yes, setting the status of the current ONU as invalid, releasing corresponding resources of this ONU, proceeding to step D; otherwise, proceeding to step D directly; and

- D. determining, by the OLT, whether all the ONUs are inquired, if yes, ending the ONU information aging flow of the present bandwidth allocation polling period; otherwise, returning to step A. continuing with the inquiry of a next ONU.
  - 3. (Currently amended) The method according to Claim 2, further comprising:

generating, by the OLT, an ONU Status Information table indexed by ONUID, which is to store every ONU's status information that is generated according to MPCP messages communication between the ONUs and the OLT;

generating, by the OLT, an ONU Active Timeout Count table indexed by ONUID, which includes said Active Timeout Counter and reported flags to indicate whether MPCP messages have been reported by corresponding ONUs;

said step of determining in step A comprises: according to ONUID index, reading out, by the OLT, ONU status information from the ONU Status Information table one by one, determining whether current ONU is invalid according to said ONU status information:

said step of determining in step B comprises: reading out, by the QLT, table item of said current ONU from Active Timeout Count table, determining whether there exists a reported flag in corresponding table item of said current ONU, if yes, it can be concluded that MPCP messages have been reported in the present bandwidth allocation polling period; otherwise, it can be concluded that MPCP messages have not been reported;

between step C and step D, further comprising: clearing, by the OLT, the reported flag of said current ONU in the ONU Active Timeout Count table;

said step of determining in step D comprising: determining, by the OLT, whether all table items of the ONU Status Information table are read out, if yes, it can be concluded that all the ONUs have been inquired; otherwise, it can be concluded that some of the ONUs have not been inquired.

4. (Currently amended) The method according to Claim 1, further comprising:

generating, by the OLT, a vMAC Granting information table indexed by ONUID, which includes granting information of each of the service ports of the ONUs and granted flags to indicate whether corresponding service ports are authorized;

the step of recording granting information in step b) comprises: recording, by the OLT, said granting information in the vMAC Granting information table, setting granted flag of said granted service ports as authorized;

the step of reading out granting information in step c) comprises: searching for, by the OLT, table items corresponding to the service ports of the same ONU in the vMAC Granting information table according to ONUID index, searching for granted service ports according to granted flag, reading out granting information of the granted service ports; and

after step d) further comprising: setting, by the OLT, the granted flag as negative of the service ports which have read out granting information.

5. (Currently amended) The method according to Claim 1, further comprising:

generating, by the OLT, the ONU Status Information table indexed by ONUID, which is to store status information of every ONU that is generated according to MPCP messages communication between the ONUs and the OLT:

before step c) further comprising: reading out, by the OLT, status information of the ONUs one by one from the ONU Status Information table according to ONUID index, determining whether current ONU status is invalid according to the status information of said current ONU, if yes, returning to read a next ONU status information in the ONU Status Information table, otherwise, proceeding to step c).

 (Original) The method according to Claim 1, wherein said services being classified by priority in descending sequence in step a) as fast forwarding service, automatic detecting MPCP Serial No.: 10/576,520 Att'y Dkt: 56815.1700

message service, non-automatic detecting MPCP message service, MF service, Assured Forwarding service and Best-Effort Forwarding service.

- (Currently amended) The method according to Claim 6, wherein as to services except automatic detecting MPCP message service, said step of authorization in step b) comprises:
- b11) confirming, by the OLT, current to-be-granted service port according to uplink service activating status;
- b12) according to the residual bandwidth resource in the current bandwidth allocation polling period, determining, by the OLT, whether current bandwidth resource is available to the constant amount of data of said current to-be granted service port for non-automatic detecting MPCP message service, or to the report information from said current to-be-granted service port for the other types of the services, if yes, proceeding to step b13); otherwise, proceeding to step b15);
- b13) authorizing, by the OLT, said current to-be-granted service port to transmit service data, and recording the current granting information;
- b14) updating, by the OLT, residual bandwidth in the current bandwidth allocation polling period and relevant information of said current to-be-granted service port; and
- b15) determining, by the OLT, whether there are un-granted service ports of current priority service, if yes, returning to step b11); otherwise, authorizing the ports of the next priority service.
  - 8. (Currently amended) The method according to Claim 7, further comprising:

generating, by the OLT, a Service Active ONU Bitmap register for every type of service to store active information indicating whether the type of service is activated in the ONUs;

generating, by the OLT, a Service Active Port Bitmap table for services with port as unit, which is indexed by ONUID, to store active information indicating whether this type of service is activated in the accessed service ports of the ONUs;

generating, by the OLT, a vMAC Report Information table indexed by ONUID, to store report information from the accessed ports of the ONUs;

step b11) comprises: polling, by the OLT, the Service Active ONU Bitmap register and the Service Active Port Bitmap table of every service type in descending sequence of priorities, finding out a service port with positive active information and confirming the service port as said current to-be-granted service port;

before step b12) further comprising: finding out, by the OLT, report information of current to-be-granted service port from the vMAC Report Information table; and

in step b15), determining, by the OLT, whether there are unread table items in current Service Active ONU Bitmap register and current Service Active Port Bitmap table, if yes, returning to step b11); otherwise, inquiring the corresponding Service Active ONU Bitmap register and Service Active Port Bitmap table of the service with the next priority.

# 9. (Previously presented) The method according to Claim 7, wherein

for the fast forwarding service, said granting information comprising start time of data transmission and sizes of data transmission; said report information comprising reported sizes of data waiting to be transmitted;

for the fast forwarding service, said step of scheduling granted start time in step d) comprising: taking said start time of data transmission of said granting information as the granted start time of data transmission;

for the non-automatic detecting MPCP message service, said granting information comprising downlink MPCP message type and reserved field, wherein said MPCP message type comprising Discovery GATE, Normal GATE and REGISTER&GATE; said report information comprising MPCP message type field and reserved field:

for the MF service, said granting information comprising reserved field and sizes of data transmission; said report information comprising reported sizes of data waiting to be transmitted:

for the Assured Forwarding service, said granting information comprising grant deficit quantity and sizes of data transmission of corresponding service ports; said report information comprising reported sizes of data waiting to be transmitted; for the Best-Effort Forwarding service, said granting information comprising sizes of data transmission; said report information comprising reported sizes of data waiting to be transmitted

10. (Currently amended) The method according to Claim 7. further comprising:

generating, by the OLT, a Bandwidth Information table for those service ports requesting bandwidth control, to store transmit quantum in every bandwidth allocation polling period;

the step of determining for those service ports requesting bandwidth control in step b12) comprises: finding out, by the OLT, transmit quantum of current service port from the Bandwidth Information table, determining whether current bandwidth resource is available according to report information from said current to-be-granted service port, transmit quantum of said current to-be-granted service port and said residual bandwidth resource in the current bandwidth allocation polling period.

 (Currently amended) The method according to Claim 6, further comprising: generating, by the OLT, a start-up counter for the automatic detecting MPCP message service;

the step of authorizing service ports in step b) comprises:

- b21) touching off initiating, by the OLT, said start-up counter, when said counter achieves configured threshold, launching the process of the automatic detecting MPCP messages detecting, if a automatic detecting MPCP message is detected, proceeding to step b22); otherwise, resetting the start-up counter and returning to step b21);
- b22) determining, by the OLT, whether current bandwidth resource is available to the constant amount of data of said current to-be-granted service port, according to the residual bandwidth resource in current bandwidth allocation polling period of the automatic detecting MPCP message service, if yes, entering step b23), otherwise, authorizing the ports of the next priority service;
  - b23) resetting, by the OLT, the start-up counter and returning to step b21).

## 12. (Original) The method according to Claim 11, wherein

for the automatic detecting MPCP message service, said granting information comprising downlink MPCP message type and reserved field, wherein said MPCP message type comprising Discovery GATE, Normal GATE, REGISTER&GATE.

- 13. (Currently amended) The method according to Claim 1, after step d) further comprising: determining, by the OLT, whether there is still any ONU with un-granted port, if yes, returning to step c); otherwise, ending.
- 14. (Original) The method according to Claim 1, wherein the type of said downlink granting messages of the method is GATE downlink MPCP message.
- 15. (Previously presented) The method according to Claim 7, wherein said uplink granting information of the present method being carried by REPORT messages.
- 16. (Previously presented) The method according to Claim 2, wherein said bandwidth allocation polling period of the present method is the virtual frame period.
  - 17. (Previously presented) The method according to Claim 8, wherein

for the fast forwarding service, said granting information comprising start time of data transmission and sizes of data transmission; said report information comprising reported sizes of data waiting to be transmitted:

for the fast forwarding service, said step of scheduling granted start time in step d) comprising: taking said start time of data transmission of said granting information as the granted start time of data transmission;

for the non-automatic detecting MPCP message service, said granting information comprising downlink MPCP message type and reserved field, wherein said MPCP message type comprising Discovery GATE, Normal GATE and REGISTER&GATE; said report information comprising MPCP message type field and reserved field;

for the MF service, said granting information comprising reserved field and sizes of data transmission; said report information comprising reported sizes of data waiting to be transmitted;

for the Assured Forwarding service, said granting information comprising grant deficit quantity and sizes of data transmission of corresponding service ports; said report information comprising reported sizes of data waiting to be transmitted;

for the Best-Effort Forwarding service, said granting information comprising sizes of data transmission; said report information comprising reported sizes of data waiting to be transmitted.

- 18. (Previously presented) The method according to Claim 8, wherein said uplink granting information of the present method being carried by REPORT messages.
- 19. (Previously presented) The method according to Claim 10, wherein said uplink granting information of the present method being carried by REPORT messages.
- 20. (Previously presented) The method according to Claim 7, wherein said bandwidth allocation polling period of the present method is the virtual frame period.
- 21. (Previously presented) The method according to Claim 10, wherein said bandwidth allocation polling period of the present method is the virtual frame period.
  - 22. (New) The method according to Claim 1, further comprising:

allocating adjacent granted windows for a group of service ports of the same ONU when generating the downlink granting message.